

Code:

Default.aspx

```
<%@ Page Language="VB" AutoEventWireup="false" CodeFile="Default.aspx.vb"
Inherits="_Default" %>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head runat="server">
```

```
    <title></title>
```

```
</head>
```

```
<body>
```

```
    <form id="form1" runat="server">
```

```
        <div>
```

```
            <button type="button" id="button1" runat="server" onclick="cmdIncrement_Click">Click Me!</button>
```

```
        </div>
```

```
    </form>
```

```
</body>
```

```
</html>
```

Default.aspx.vb

```
Partial Class _Default
```

```
    Inherits System.Web.UI.Page
```

```
Protected Sub cmdIncrement_Click(ByVal sender As Object, ByVal e As EventArgs)  
Handles button1.ServerClick
```

```
    Dim ctr As Integer
```

```
    If ViewState("Counter") Is Nothing Then
```

```
        ctr = 1
```

```
    Else
```

```
        ctr = CType(ViewState("Counter"), Integer) + 1
```

```
    End If
```

```
    ViewState("Counter") = ctr
```

```
    button1.InnerText = "Counter: " & ctr.ToString()
```

```
End Sub
```

```
End Class
```

Customer.aspx

```
<%@ Page Language="VB" AutoEventWireup="false" CodeFile="customer.aspx.vb"  
Inherits="customer" %>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head runat="server">
```

```
    <title></title>
```

```
</head>
```

```
<body>
```

```
    <form id="form1" runat="server">
```

```
<div>

    <button type="button" id="button1" runat="server">Click To get the list of
customers!</button>

</div>

</form>

</body>

</html>
```

Customer.aspx.vb

Imports System.ServiceModel.Configuration

Partial Class customer

Inherits System.Web.UI.Page

<Serializable(>

Public Class Customer

Private _firstName As String

Public Property FirstName() As String

Get

Return _firstName

End Get

Set(ByVal value As String)

_firstName = value

End Set

End Property

```
Private _lastName As String

Public Property LastName() As String

    Get

        Return _lastName

    End Get

    Set(ByVal value As String)

        _lastName = value

    End Set

End Property
```

```
Public Sub New(ByVal firstName As String, ByVal lastName As String)

    Me.FirstName = firstName

    Me.LastName = lastName

End Sub

End Class
```

```
Protected Sub view_customers()

    Dim stored_customer_1 As Customer = CType(ViewState("Customer_1"), Customer)

    Dim stored_customer_2 As Customer = CType(ViewState("Customer_2"), Customer)

    Dim stored_customer_3 As Customer = CType(ViewState("Customer_3"), Customer)

    Response.Write("Customer_1: " & stored_customer_1.FirstName & " " &
stored_customer_1.LastName & "<br/>")

End Sub
```

```
Response.Write("Customer_2: " & stored_customer_2.FirstName & " " &  
stored_customer_2.LastName & "<br/>")
```

```
Response.Write("Customer_3: " & stored_customer_3.FirstName & " " &  
stored_customer_1.LastName & "<br/>")
```

```
button1.Visible = False
```

```
End Sub
```

```
Protected Sub store_customers(ByVal sender As Object, ByVal e As System.EventArgs)  
Handles button1.ServerClick
```

```
Dim customer_1 As New Customer("Muhammad", "Musa")
```

```
Dim customer_2 As New Customer("Ali", "Nasir")
```

```
Dim customer_3 As New Customer("Zohaib", "Ali")
```

```
ViewState("Customer_1") = customer_1
```

```
ViewState("Customer_2") = customer_2
```

```
ViewState("Customer_3") = customer_3
```

```
view_customers()
```

```
End Sub
```

```
End Class
```

Screenshoots:

